

Peer-reviewed publications

Sørensen M, Mikkelsen KS, Frisch K, Bass L, Bibby BM, Keiding S. Hepatic Galactose Metabolism Quantified in Humans using 2-[¹⁸F]Fluoro-2-Deoxy-D-Galactose PET/CT. *J Nucl Med* 2011;52:1566-1572.

Dadsetan S, Bak LK, **Sørensen M**, Keiding S, Vilstrup H, Ott P, Leke R, Schousboe A, Waagepetersen HS. Inhibition of glutamine synthesis induces glutamate dehydrogenase-dependent ammonia fixation into alanine in co-cultures of astrocytes and neurons. *Neurochem Int* 2011;59:482-488.

Bass L, **Sørensen M**, Munk OL, Keiding S. Analogue tracers and lumped constant in capillary beds. *J Theor Biol* 2011;285:177-181.

Dam G, Keiding S, Munk OL, Ott P, Buhl M, Vilstrup H, Bak LK, Waagepetersen H, Schousboe A, Møller N, **Sørensen M**. Branched-chain amino acids increase arterial ammonia in spite of enhanced intrinsic muscle ammonia metabolism in patients with cirrhosis and healthy subjects. *Am J Physiol Gastrointest Liver Physiol* 2011;301:G269-G277.

Sørensen M, Frisch K, Bender D, Keiding S. The potential use of 2-[¹⁸F]fluoro-2-deoxy-D-galactose as a PET/CT tracer for detection of hepatocellular carcinoma. *Eur J Nucl Med Mol Imaging* 2011;38:1723-1731.

Winterdahl M, Munk OL, **Sørensen M**, Mortensen FV, Keiding S. Hepatic blood perfusion measured by 3-min dynamic FDG PET in pigs. *J Nucl Med* 2011;52:1119-1124.

Leke R, Bak LK, Iversen P, **Sørensen M**, Keiding S, Vilstrup H, Ott P, Portela LV, Schousboe A, Waagepetersen HS. Synthesis of neurotransmitter GABA via the neuronal tricarboxylic acid cycle is elevated in rats with liver cirrhosis consistent with a high GABAergic tone in chronic hepatic encephalopathy. *J Neurochem* 2011;117:824-832.

Sørensen M. Determination of hepatic galactose elimination capacity using 2-[¹⁸F]fluoro-2-deoxy-D-galactose PET/CT. Reproducibility of the method and metabolic heterogeneity in a normal pig liver model. *Scand J Gastroenterol* 2011;46:98-103.

Frisch K, Bender D, Hansen SB, Keiding S, **Sørensen M**. Nucleophilic radiosynthesis of 2-[¹⁸F]fluoro-2-deoxy-D-galactose from Talose triflate and biodistribution in a porcine model. *Nucl Med Biol* 2011;38:477-483.

Leke R, Bak LK, Anker M, Melø TM, **Sørensen M**, Keiding S, Vilstrup H, Ott P, Portela LV, Sonnewald U, Schousboe A, Waagepetersen H S. Detoxification of ammonia in mouse cortical GABAergic cell cultures increases neuronal oxidative metabolism and reveals an emerging role for release of glucose-derived alanine. *Neurotox Res* 2011;19:496-510.

Winterdahl M, Keiding S, **Sørensen M**, Mortensen FV, Alstrup AaKO, Munk OL. Tracer input for kinetic modelling of liver determined without sampling portal venous blood in pigs. *Eur J Nucl Med Mol Imaging* 2010;38:263-270.

Keiding S, **Sørensen M**, Munk OL, Bender D. Human ¹³N-ammonia PET studies: The importance of measuring ¹³N-ammonia metabolites in blood. *Metab Brain Dis* 2010;25:49-56.

Dam G, **Sørensen M**, Munk OL, Keiding S. Hepatic ethanol elimination kinetics in patients with cirrhosis. *Scand J Gastroenterol* 2009;44:867-871.

Bak LK, Iversen P, **Sørensen M**, Keiding S, Vilstrup H, Ott P, Waagepetersen HS, Schousboe A. Metabolic fate of isoleucine in a rat model of hepatic encephalopathy and in cultured neural cells exposed to ammonia. *Metab Brain Dis* 2009;24:135-145.

Sørensen M, Munk OL, Keiding S. Backflux of ammonia from brain to blood in human subjects with and without hepatic encephalopathy. *Metab Brain Dis* 2009;24:237-242.

Iversen P, **Sørensen M**, Bak LK, Waagepetersen HS, Vafae MS, Borghammer P, Mouridsen K, Jensen SB, Vilstrup H, Schousboe A, Ott P, Gjedde A, Keiding S. Low cerebral oxygen consumption and blood flow in patients with cirrhosis and an acute episode of hepatic encephalopathy. *Gastroenterology* 2009;136:863-871.

Sørensen M, Munk OL, Mortensen FV, Olsen AaK, Bender D, Bass L, Keiding S. Hepatic uptake and metabolism of galactose can be quantified *in vivo* by 2- [¹⁸F]Fluoro-2-deoxy-galactose Positron Emission Tomography. *Am J Physiol Gastrointest Liver Physiol* 2008;296:27-36.

Sørensen M, Mortensen FV, Vilstrup H, Keiding S. FDG-PET improves management of patients with colorectal liver metastases allocated for local treatment: a consecutive prospective study. *Scand J Surgery* 2007;96:209-213.

Johansen ML, Bak LK, Schousboe A, Iversen P, **Sørensen M**, Keiding S, Vilstrup H, Gjedde A, Ott P, Waagepetersen HS. The metabolic role of isoleucine in detoxification of ammonia in cultured mouse neurons and astrocytes. *Neurochem Int* 2007;50:1042-1051.

Sørensen M, Keiding S. New findings on cerebral ammonia uptake in HE using functional ¹³N-ammonia PET. *Metab Brain Dis* 2007;22:277-284.

Keiding S, **Sørensen M**, Bender D, Munk OL, Ott P, Vilstrup H. Brain Metabolism of ¹³N-Ammonia During Acute Hepatic Encephalopathy in Cirrhosis Measured by PET. *Hepatology* 2006;43:42-50.

Sørensen M, Horsman MR, Cumming P, Munk OL, Keiding S. Effect of intratumoral heterogeneity in oxygenation status on FMISO PET, autoradiography, and electrode pO₂ measurements in murine tumors. *Int J Radiat Oncol Biol Phys* 2005;62:854-86.

Book chapters, reviews and editorials

Sørensen M, Mortensen FV, Vilstrup H, Keiding S [Danish]. Positronemissions-tomografi har klinisk betydning ved planlægning af behandling af kolorektale levermetastaser. En sekundærpublikation. *Ugeskr Læger* 2008;16:1364-1366.

Sørensen M, Vilstrup H, Keiding S, Ott P & DASL-bestyrelsen [Danish]. Hepatisk encefalopati. *Ugeskr Læger*. 2007;19:169:1106.

Sørensen M, Keiding S. Positron emission tomography of the liver. In *Textbook of Hepatology: From Basic Science to Clinical Practice*. Editors: Rodés J, Benhamou JP, Blei AT, Reichen J, Rizzetto M. 3rd edition, Blackwell Publishing 2007, pp. 561-566.

Keiding S, **Sørensen M**. Hepatic removal kinetics: importance for quantitative measurements of liver function. In *Textbook of Hepatology: From Basic Science to Clinical Practice*. Editors: Rodés J, Benhamou JP, Blei AT, Reichen J, Rizzetto M. 3rd edition, Blackwell Publishing 2007, pp. 468-478.

Olsen AaK, Zeidler D, Pedersen K, **Sørensen M**, Jensen SB, Munk OL. Imaging techniques: CT, MRI, and PET scanning. In *Swine in the laboratory. Surgery, anesthesia, imaging, and experimental techniques*. Editor Swindle MM. 2nd edition. CRC Press 2007, pp. 387-396.

Sørensen M, Keiding S. Ammonia metabolism in cirrhosis. In *Hepatic Encephalopathy and Nitrogen Metabolism*. Editors Häussinger D, Kircheis G, Schliess F. Springer 2006, pp. 406-419.

Keiding S, Buus S, **Sørensen M**, Munk OL. PET ved kræft; Billeder bedrer behandlingen. Kapitel 6, *På sporet af det indre liv; PET i Århus 1993-2003* [Danish]. Editor Anders Rodell. Professionelle og Eksperimenterende Tekster, Aarhus, 2003.

Theses

Ph.D.-dissertation

Sørensen M. "Introducing the galactose analogue 2-[¹⁸F]fluoro-2-deoxy-D-galactose as a positron emission tomography tracer for non-invasive studies of human liver function. A translational study in pigs and humans". Aarhus University/Aarhus University Hospital 2009.

Master

Sørensen M. Hypoxi i levende tumorceller og nekrotisk væv i musetumorer, målt med PET-skanning, autoradiografi og iltelektrode [Danish]; English title: "Accumulation of ¹⁸F-misonidazole (FMISO) in murine tumors depends on factors other than just the oxygen content". MSc thesis, Aarhus University/Aarhus University Hospital 2003.

Correspondence

Sørensen M, Keiding M. Reply to Letter-to-the Editor by Lockwood A and Wack DS. Permeability surface products for brain ammonia metabolism. *Hepatology* 2006;44:1053-1054.