

Peer-reviewed publications

Borghammer P, Hansen SB, Eggers C, Chakravarty M, Vang K, Aanerud J, Hilker R, Heiss WD, Rodell A, **Munk OL**, Keator D, Gjedde A. Glucose metabolism in small subcortical structures in Parkinson's disease. *Acta Neurol Scand*. 2011 *in press*

Bass L, Sørensen M, **Munk OL**, Keiding S. Analogue tracers and lumped constants in capillary beds. *J Theor Biol* 2011; 285: 177–181.

Dam G, Keiding S, **Munk OL**, Ott P, Buhl M, Vilstrup H, Bak LK, Waagepetersen HS, Schousboe A, Møller N, Sørensen M. Branched-chain amino acids increase arterial blood ammonia in spite of enhanced intrinsic muscle ammonia metabolism in patients with cirrhosis and healthy subjects. *Am J Physiol Liver Gastroent* 2011; 301: G269–277.

Winterdahl M, **Munk OL**, Sørensen M, Mortensen FV, Keiding S. Hepatic blood perfusion measured by 3-min dynamic FDG PET in pigs. *J Nucl Med* 2011;52:1119–1124.

Winterdahl M, Keiding S, Sørensen M, Mortensen FV, Alstrup AKO, **Munk OL**. Tracer input for kinetic modelling of liver physiology determined without sampling portal venous blood in pigs. *Eur J Nucl Med Mol Imaging* 2011; 38: 263–270.

Mortensen LS, Buus S, Nordmark M, Bentzen L, **Munk OL**, Keiding S, Overgaard J. Identifying hypoxia in human tumors: A correlation study between ¹⁸F-FMISO PET and the Eppendorf oxygen-sensitive electrode. *Acta Oncol* 2010; 49: 934–940.

Busk M, **Munk OL**, Jakobsen S, Wang T, Skals M, Steiniche T, Horsman MR, Overgaard J. Assessing hypoxia in animal tumor models based on pharmacokinetic analysis of dynamic FAZA PET. *Acta Oncol* 2010; 49: 922–933.

Keiding S, Sørensen M, **Munk OL**, Bender D. Human ¹³N-ammonia PET studies: the importance of measuring ¹³N-ammonia metabolites in blood. *Metab Brain Dis* 2010; 25: 49–56.

Dam G, Sørensen M, **Munk OL**, Keiding S. Hepatic ethanol elimination kinetics in patients with cirrhosis. *Scand J Gastroenterol* 2009; 44: 867–871.

Sørensen M, **Munk OL**, Keiding S. Backflux of ammonia from brain to blood in human subjects with and without hepatic encephalopathy. *Metab Brain Dis* 2009; 24: 237–242.

Bass L, Keiding S, **Munk OL**. Benefits and risks of transforming data from dynamic positron emission tomography, with an application to hepatic encephalopathy. *J Theor Biol* 2009; 256: 632–636.

Foldager C, Bendtsen M, Zou X, Zou L, Olsen AK, **Munk OL**, Stødkilde-Jørgensen H, Büngrer C. Positron emission tomography and magnetic resonance imaging for monitoring interbody fusion with equine bone protein extract, recombinant human bone morphogenetic protein-2, and autograft. *Spine* 2008; 33: 2683–2690.

Munk OL, Keiding S, Bass L. A method to estimate catheter dispersion and to calculate dispersion-free blood time-activity curves. *Medical Physics* 2008; 35: 3471– 3481.

Sørensen M, **Munk OL**, Mortensen FV, Olsen AK, Bender D, Bass L, Keiding S. Hepatic uptake and metabolism of galactose can be quantified in vivo by 2-[¹⁸F]Fluoro-2-deoxy-galactose Positron Emission Tomography. *Am J Physiol Gastrointest Liver Physiol* 2008; 295: G27– G36.

Pedersen K, Simonsen M, Ostergaard SD, **Munk OL**, Rosa-Neto P, Olsen AK, Jensen SB, Møller A, Cumming P. Mapping the amphetamine-evoked changes in [(11)C]raclopride binding in living rat using small animal PET: Modulation by MAO-inhibition. *Neuroimage* 2007; 35: 38– 46.

Jakobsen S, Pedersen K, Smith DF, Jensen SB, **Munk OL**, Cumming P. Detection of alpha2-adrenergic receptors in brain of living pig with ¹¹C-yohimbine. *J Nucl Med* 2006; 47: 2008– 2015.

Prytz H, Keiding S, Björnson E, Broome U, Almer S, Castedal M, **Munk OL**. Dynamic FDG PET is useful for detection of cholangiocarcinoma in patients with PSC listed for liver transplantation. *Hepatology* 2006; 44: 1572– 1580.

Olsen AK, Keiding S, **Munk OL**. Effect of hypercapnia on cerebral blood flow and blood volume in pigs studied by PET. *Comp Med* 2006; 56: 416– 420.

Smith DF, Dyve S, Minuzzi L, Jakobsen S, **Munk OL**, Marthi K, Cumming P. Inhibition of [(11)C]mirtazapine binding by alpha(2)-adrenoceptor antagonists studied by positron emission tomography in living porcine brain. *Synapse* 2006; 59: 463– 471.

Iversen P, Hansen DA, Bender D, Rodell A, **Munk OL**, Cumming P, Keiding S. Peripheral benzodiazepine receptors in the brain of cirrhosis patients with manifest hepatic encephalopathy. *Eur J Nucl Med Mol Imaging* 2006; 33: 810– 816.

Buus S, Grau C, **Munk OL**, Rodell A, Jensen K, Mouridsen K, Keiding S. Individual radiation response of parotid glands investigated by dynamic ¹¹C-methionine PET. *Radiother Oncol* 2006; 78: 262– 269.

Cumming P, Pedersen MD, Minuzzi L, Mezzomo K, Danielsen EH, Iversen P, Aagaard D, Keiding S, **Munk OL**, Finsen B. Distribution of PK11195 binding sites in porcine brain studied by autoradiography in vitro and by positron emission tomography. *Synapse* 2006; 59: 418– 426.

- Doudet DJ, Rosa-Neto P, **Munk OL**, Ruth TJ, Jivan S, Cumming P. Effect of age on markers for monoaminergic neurons of normal and MPTP-lesioned rhesus monkeys: a multi-tracer PET study. *Neuroimage* 2006; 30: 26– 35.
- Keiding S, Sørensen M, Bender D, **Munk OL**, Ott P, Vilstrup H. Brain metabolism of ¹³N-ammonia during acute hepatic encephalopathy in cirrhosis measured by positron emission tomography. *Hepatology* 2006; 43: 42– 50.
- Smith DF, Marthi K, **Munk OL**, Cumming P, Hansen SB, Jakobsen S. PET neuroimaging of ¹¹C-mirtazapine enantiomers in pigs. *Eur Neuropsychopharmacol* 2006; 16: 350– 367.
- Sørensen M, Horsman MR, Cumming P, **Munk OL**, Keiding S. Effect of intratumoral heterogeneity in oxygenation status on FMISO PET, autoradiography, and electrode pO₂ measurements in murine tumors. *Int J Radiat Oncol Biol Phys* 2005; 62: 854– 861.
- Keiding S, **Munk OL**, Vilstrup H, Nielsen DT, Roelsgaard K, Bass L. Hepatic microcirculation assessed by PET of first-pass ammonia metabolism in porcine liver. *Liver Int* 2005; 25: 171– 176.
- Buus S, Grau C, **Munk OL**, Bender D, Jensen K, Keiding S. ¹¹C-methionine PET, a novel method for measuring regional salivary gland function after radiotherapy of head and neck cancer. *Radiother Oncol* 2004; 73: 289– 296.
- Rosa-Neto P, Gjedde A, Olsen AK, Jensen SB, **Munk OL**, Watanabe H, Cumming C. MDMA-evoked changes in [¹¹C]raclopride and [¹¹C]NMSP binding in living pig brain. *Synapse* 2004; 53: 222– 233.
- Munk OL**, Bass L, Feng H, Keiding S. Determination of regional flow using intravascular PET tracers: Microvascular theory and experimental validation in pig liver *J Nucl Med* 2003; 44: 1862– 1870.
- Munk OL**, Keiding S, Bass L. Capillaries within Compartments: Microvascular interpretation of dynamic positron emission tomography data. *J Theor Biol* 2003; 225: 127– 141.
- Munk OL**, Keiding S, Bass L. Impulse response function of the splanchnic circulation with model-independent constraints: Theory and experimental validation in pigs. *Am J Physiol* 2003; 285: G671– G680.
- Gründer G, Vernaleken I, Muller MJ, Davids E, Heydari N, Buchholz HG, Bartenstein P, **Munk OL**, Stoeter P, Wong DF, Gjedde A, Cumming P. Subchronic haloperidol downregulates dopamine synthesis capacity in the brain of schizophrenic patients in vivo. *Neuropsychopharmacology* 2003; 28:787– 794.
- Kaarstad K, Bender D, Bentzen L, **Munk OL**, Keiding S. Metabolic fate of ¹⁸F-FDG in mice bearing either SCCVII squamous cell carcinoma or C3H mammary carcinoma. *J Nucl Med* 2002; 43: 940– 947.

Keiding S, **Munk OL**, Roelsgaard K, Bender D, Bass L. Positron emission tomography of hepatic first-pass metabolism of ammonia in pig. *Eur J Nucl Med* 2001; 28: 1770– 1775.

Bender D, **Munk OL**, Feng H, Keiding S. Liver metabolism of ^{18}F FDG and ^{11}C -methylglucose in anaesthetised pigs. *J Nucl Med* 2001; 42: 1673– 1678.

Cumming P, **Munk OL**, Doudet D. Loss of metabolites from monkey striatum during PET with FDOPA. *Synapse* 2001; 41: 212– 218.

Munk OL, Bass L, Roelsgaard K, Bender D, Hansen SB, Keiding S. Liver kinetics of glucose analogs measured in pigs by PET: Importance of dual input blood sampling. *J Nucl Med* 2001; 42: 795– 801.

Cumming P, Danielsen EH, Vafae M, Falborg L, Steffensen E, Sørensen JC, Gillings N, Bender D, Marthi K, Andersen F, **Munk O**, Smith D, Moller A, Gjedde A. Normalization of markers for dopamine innervation in striatum of MPTP-lesioned miniature pigs with intrastriatal grafts. *Acta Neurol Scand* 2001; 103: 309– 315.

Gillings NM, Bender D, Falborg L, Marthi K, **Munk OL**, Cumming P. Kinetics of the metabolism of four PET radioligands in living minipigs. *Nucl Med Biol* 2001; 28: 97– 104.

Danielsen EH, Cumming P, Andersen F, Bender D, Brevig T, Falborg L, Gee A, Gillings NM, Hansen SB, Hermansen F, Johansen J, Johansen TE, Dahl-Jorgensen A, Jorgensen HA, Meyer M, **Munk O**, Pedersen EB, Poulsen PH, Rodell AB, Sakoh M, Simonsen CZ, Smith DF, Sorensen JC, Ostergaard L, Zimmer J, Gjedde A. The DaNeX study of embryonic mesencephalic, dopaminergic tissue grafted to a minipig model of Parkinson's disease: preliminary findings of effect of MPTP poisoning on striatal dopaminergic markers. *Cell Transplant* 2000; 9: 247– 259.

Keiding S, **Munk OL**, Schiøtt KM, Hansen SB. Dynamic 2- ^{18}F fluoro-2-deoxy-D-glucose positron emission tomography of liver tumours without blood sampling. *Eur J Nucl Med* 2000; 27: 407– 412.

Book Chapters, reviews

Sørensen M, **Munk OL**, Keiding S. Backflux of ammonia from brain to blood in human subjects with and without hepatic encephalopathy. *Metab Brain Dis* 2009; 24: 237–242.

Munk OL, Keiding S, Hansen SB. Bayesian estimation of kinetic rate constants using PET and compartmental models. In: *Brain Imaging Using PET*, Eds. M Senda, Y Kimura, P Herscovitch. Academic Press 2002; Chapter 14: 93– 99.

Munk OL, Hansen SB. Automated Registration of PET Brain Scans using Neural Networks. In: *Physiological Imaging of the Brain by PET*, Eds. A Gjedde, SB Hansen, GM Knudsen, O Paulson. Academic Press 2000; Chapter 4: 23– 28.

